



DIGITAL FRONT PROJECTORS

BRAND	MODEL	DISPLAY TYPE	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	THROW DISTANCE	PIP (Picture-in-Picture) INTERNAL AUDIO EXTERNAL AUDIO REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	LIST PRICE		
Accurate Imaging Technologies	BR-5	D	1024x768	4:3		1000 A	2000:1	•			1	1	1WC, 1CR	1-DC	2.0-2.4:1	S	11x 9 x 3.5	6.4	\$5,999		
	BR-7	D	1280x720	16:9		1000 A	2000:1	•			1	1	1WC, 1CR	1-DD	1.6-2.16:1	S	18x 65.5 x12	18	\$8,995		
Audio Plus Services	DV-LC5	L	800x600	4:3		1000 L	350:1	•			1	1	1CR		1.8-2.2:1	S		6.6	\$2,995		
	CineXone	D	1024x768	4:3		1100 L	700:1	•			1	1	1CR		1.62-1.97:1	S		3.5	\$4,500		
	DreamWeaver II	D	1024x576	16:9		1100 L	1500:1	•			1	2	2WC, 1CR	1-DD	187-2.6:1	L	17 Dia.	9	\$6,595		
	DreamWeaver	D	1280x720	16:9		1100 L	1500:1	•			1	2	2WC, 1CR	1-DD	1.49-2.08:1	L	17 Dia.	9.7	\$9,995		
	Cinema Ten Pro	D	1024x768	4:3		1100 L	1100:1	•			2	2	2CR	1-DC	1.44-2.14:1	L		11	\$13,995		
			Long throw lenses available																		
Barco	Cineversum 60	D	1024x576	16:9		900 A	2000:1	•			1/0	1/0	1C, 1CR, 1R	1-DC	*	S	6.2 x 17.7 x 16.6	13.2	\$7,995		
			*1.7-2/2.25:1,2.25-3.0:1. Single-chip HD2																		
	Cineversum 70	D	1280x720	16:9		1000 A	2700:1	•			1/0	1/0	1C, 1CR, 1R	1-DC	*	S	6.2 x 17.7 x 16.6	17	\$12,995		
			*1.8-2.4:1,1.4-1.8:1. Single-chip HD2+																		
	Cineversum 80	D	1280x720	16:9		1000 A	3000:1	•			1/0	*	C, CR, 1R	1-DC	1.8-2.4:1	S	7.4 x 17.5 x 18.4/19.1	48	\$19,995		
			*Master video processor included. Allows for different input configurations. Pro-grade lens included																		
	80 SLP	D	1280x720	16:9		1000 A	3000:1	•			1/0	*	C, CR, 1R	1-DC	1.8-2.4:1	S	7.4 x 17.5 x 18.4 or 19.148		\$24,995		
			*Master video processor included. Allows for different input configurations. Includes choice of lens																		
	Cineversum 110	D	1280x720	16:9		3000 A	2500:1	•			1/0		C, 1WC, 1CR, 1R	*1-DC	0.64-5.6 **	S	11.2 x 23.9 x 27	55	\$38,000		
			*5 configurable BNC inputs, including DVI,SDI,Component,S-Video,Composite,and RGBHV. **Different lenses available																		
	120+Master	D	1280x720	16:9		3000 A	2500:1	•			1/0	*	C, CR, 1R	1-DC	0.64-5.6 **	S	11.2 x 23.9 x 27	55	\$50,000		
			*Master video processor included. Allows for different input configurations. **Different lenses available																		
BenQ	PE8700	D	1280x720	16:9		1000 A	2000:1	•			1/0	1/0	1/0C, 1/0CR	1-DD	1.56:1	•	S	4.72 x 15.75 x 11.10	17	\$7,995	
			1/0WC, 1/0CR																		
	PB7100	D	800x600	4:3W		1800 A	2000:1	•	1/0		1/0	1/0	1/0CR		1.625:1	•	2	S	3.15 x 10.16 x 8.31	5.6	\$1,695
	PB7200	D	1024x768	4:3W		2200 A	2000:1	•	1/0		1/0	1/0	1/0CR		1.3:1	•	2	S	3.15 x 10.16 x 8.31	5.6	\$3,695
	PB7220	D	1024x768	4:3W		2500 A	2000:1	•	1/0		1/0	1/0	1/0CR		1.3:1	•	2	S	3.15 x 10.16 x 8.31	5.6	\$3,995
	PB6100	D	800x600	4:3W		1500 A	2000:1	•			1/0	1/0	1/0CR		1.625:1	•		S	3.87 x 10.13 x 8.48	5.9	\$999
	PB6200	D	1024x768	4:3W		1700 A	2000:1	•			1/0	1/0	1/0CR		1.3:1	•		S	3.84 x 10.13 x 5.9	5.9	\$2,195
	PE7800	D	1024x576	16:9		800 A	2000:1	•			1/0	1/0	1/0C, 1/0CR	1-DD	1.45:1	•		S	4.72 x 15.75 x 11.10	17.4	\$4,999
			1/0WC, 1/0CR																		
	PB6110	D	800x600	4:3W		1500 A	2000:1	•			1/0	1/0	1/0CR		1.3:1	•	1	S	3.9 x 10.3 x 8.5	6.3	TBA
	PB6210	D	1024x768	4:3W		2000 A	2000:1	•			1/0	1/0			1.3:1	•	1	S	3.9 x 10.3 x 8.5	5.9	TBA
	PB8250	D	1024x768	4:3W		3000 A	2000:1	•	1/0		2/0	1/0	1/0C, 1/0WC	1-DD	1.3:1	•	1	S	4.1 x 12.6 x 9.3	7.5	TBA
	PB9200	L	1024x768	4:3W		4500 A	750:1	•	1/0		1/0	1/0			1.11:1	•	1	S	6.3 x 16.5 x 12.2	17	TBA
Crystal View	MP-D1	S	1365x1024	16:9		1000 L	525:1	•			1/0	1/0	1/0WC			•		S	9.7 x 16.8 x 14.8	33	\$26,000
	CV-HD720P	D	1280x720	16:9		1200 L	2300:1	•			8/0	8/0	4/0WC	1-DC	1.75-2.25,1.0	•		S	3.5 x 10.9 x 9.6	6.5	\$14,995
			Includes Crystal View outboard scaler/processor																		

• DISPLAY TYPE: **D**-DLP **L**-LCD **S**-D-ILA **O**-Other • ASPECT RATIO: **4:3W**=4:3 with 16:9 mode • PEAK LIGHT OUTPUT MEASUREMENT: **C**-cd/m² **A**-ANSI Lumens **L**-Lumens **N**-Nits **F**-fl (footlambert)
O-Other • TUNER: **NT**-NTSC **A**-ATSC **C8**-Cable 8VSB **Q**-QAM **P**-POD • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning • OTHER: **Var**-Varies

BRAND	MODEL	DISPLAY TYPE	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	THROW DISTANCE	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	LIST PRICE
Dell	4100MP	D	1024x768			2200 A	2000:1					1	1CR	1-DC							9.9 x 11.9 x 4.5	6.5	\$2,268
	2200MP	D	800x600			1200 A	1700:1					1	1CR	1-DC	3.94 - 39.37						8.5 x 4.7 x 10.5		\$900
	3200MP	D	1024x768			1300 A	1800:1					1	1CR	1-DC	1.2 - 12						7.4 x 3.5 x 2.9	3.5	\$1,868
Digital Projection	iVision HD	D	1280x720	16:9		1000 A	2700:1	•				1	1	1-DC			S				3.5 x 10.9 x 9.6	6.5	\$11,995
	HIGHlite Gold HC	D	1280x1024	4:3		2750 A	1000:1	•				2	2	1-DC			S				12.2 x 22 x 26.9	95	\$69,995
	HIGHlite Plat. HC	D	1280x1024	4:3		3600 A	1000:1	•				2	2	1-DC			S				12.2 x 22 x 26.9	95	\$84,995
	MERCURY HD	D	1280x720	16:9		1750 A	2400:1	•				1	1	1-DC			S				10.5 x 20.7 x 20.9	52	\$29,995
Dreamvision	DV-LC5	L	800x600	4:3		1000 L	350:1	•				1	1				S					6.6	\$3,495
	CineXone	D	1024x768	4:3		1100 L	700:1	•				1	1				S					3.5	\$4,995
	DreamWeaver II	D	1024x576	16:9		1100 L	1500:1	•				1	2	2WC, 1CR	1-DC	79.2	L				17 Dia.	9	\$6,595
	DreamWeaver	D	1280x720	16:9		1100 L	1500:1	•				1	2		1-DC		L				17 Dia.	9.7	\$10,995
	Cinema Ten Pro	D	1024x768	4:3		1100 A	1100:1	•				2	2		1-DC		L					11	\$13,995
Dwin	TransVision3	D	1280x720	16:9	•	1200 A	2000:1	•				2/0	2/0/2/0WC, 2/0R2/1-DD	1.41 x 2.1	•		U				5 x 13.5 x 13	15	\$10,950
			Includes Digital Video Processor																				
	TransVision10	D	1280x720	16:9	•	1800 A	2000:1	•				2/0	2/0/2/0WC, 2/0R2/1-DD	*	•		U				TBA	28	\$27,450
			*0.6, 1.2 x 1.44, 1.44 x 1.8, 1.8 x 2.4, 2.4 x 3.6, 3.6 x 5.6, 3Chip DLP, Includes Digital Video Processor																				
Elite Video	DLA-G150	S	1365x1024	4:3W		1100 A	600:1					1	1	1C, 1R							19.9 x 10.4 x 15.5	38	\$20,995
			Internal scaler																				
	LP-530	D	1024x768	4:3		2000 A						1	1	1C							10.3 x 3.3 x 11	6	\$5,995
	PLV-70	L	1366x768	4:3W		2200 A	900:1					1	1	2C, 1R							12.6 x 6.6 x 16.8	17	\$9,995
			focal plane adj.																				
	EV-100	L	1280x720	4:3W		1100 A	800:1					1	1	1C							13.7 x 4.5 x 10.9	9	\$5,995
	PLV_Z1	L	964x544	4:3W		700 O	800:1					1	1	1C							13.1 x 4.3 x 9.7	8	\$2,495
Epson	PowerLite Home 10+	L	854x480	16:9	•	1200 A	800:1	NT	1			1	1	1C, 1R		*	•	1	S		4.8 x 15.8 x 11.6	7.9	\$1,299
			*2.4 - 24.9 Wide; 3.7 - 38.2 Tele																				
	Cinema 200	L	1280x720	16:9	•	1300 A	1000:1	NT				1	1	1C, 1R		*			S		5.3 x 17.3 x 12.6	11.8	\$2,999
			*2.9 - 29.9 Wide; 4.4 - 44.8 Tele																				
	Cinema 500	L	1280x720	16:9	•	1000 A	1200:1	NT	•			1	1	1C, 5R	1-H	*			S		5.8 x 17.7 x 13.6	13.8	\$4,999
			*2.9 - 29.9 Wide; 4.4 - 44.8 Tele																				
Faroudja	FDP-DLPHD20	D	1280x720	16:9	•	700 A	2800:1	•				1	1	1WC, 1CR	1-DC, 1-H				S		6.8 x 13.8 x 12.5	13	\$12,500
			Includes NRS-DVI processor																				
	FDP-DLPHD20	D	1280x720	16:9	•	700 A	2800:1	•				1	1	1WC, 1CR	1-DC, 1-H				S		6.8 x 13.8 x 12.5	13	\$22,495
			Includes DVP1500 Faroudja Processor																				
	FDP-DLP30HD	D	1280x1024	16:9	•	3500 A	850:1	•						1WC, 1CR	1-DC								\$124,995
			Includes DVP1000 Faroudja Processor																				
	FDP-DILA3	S	1400x1050	16:9	•	800 A	500:1	•				1	1	1WC, 1CR	1-DC				S				\$25,995
			Includes NRS-DVI Processor																				
	FDP-DILA2	S	1365x1024	16:9	•	1000 A	600:1	•				1	1	1WC, 1CR	1-DC				L		11.7 x 22.4 x 19.3	55	\$44,995
			Includes NRS-DVI processor																				
	FDP-DILA2	S	1365x1024	16:9	•	1000 A	600:1	•				1	1	1WC, 1CR	1-DC				L		11.7 x 22.4 x 19.3	55	\$50,995
			Includes DVP1500 Faroudja Processor																				

• DISPLAY TYPE: **D**-DLP **L**-LCD **S**-D-ILA **O**-Other • ASPECT RATIO: **4:3W**-4:3 with 16:9 mode • PEAK LIGHT OUTPUT MEASUREMENT: **C**-cd/m² **A**-ANSI Lumens **L**-Lumens **N**-Nits **F**-fL (footlambert)
O-Other • TUNER: **NT**-NTSC **A**-ATSC **CB**-Cable 8VSB **Q**-QAM **P**-POD • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning • OTHER: **Var**-Varies



DIGITAL FRONT PROJECTORS

BRAND	MODEL	DISPLAY TYPE	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	THROW DISTANCE	PIP (Picture-in-Picture) INTERNAL AUDIO	EXTERNAL AUDIO REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	LIST PRICE
	FDP-QXDILA1	S	2048x1536	16:9	•	7000 A			•											\$369,995
			With DVP4000 Processor																	
Gateway	210	D	1024x768	DM		1500 L	900:1				1	1		1-DC		S		2.72 x 7.6 x 9.02	3.85	\$1,999
	205	D	800x600	4:3		1100 L	1100:1				1	1				S		2.2 x 6.7 x 9.8	3.75	\$1,099
Hitachi	PJT x 100	L	1280x720	16:9	•	1200 A	1200:1				1/0	1/0	1WC, 1R	1-DD	*		S	5.56 x 13.44 x 11.06	9	\$4,000
			*60-inch: 1.7m - 2.7m, 80-inch: 2.2m - 3.6m, 100-inch: 2.8m - 4.5m. Super-focus Quattro ELD Lens																	
InFocus	7205	D	1280x720	16:9	•	1100 A	2200:1				1	2	5WC,1R	1-DD	1.89:1-2.27:1	•	S	4.3 x 13.8 x 12.8	9.5	\$8,999
			HD2+ DarkChip2 DMD, 7 Segment Color Wheel, Faroudja DCDi (FLI 2310), lens filter thread, 48Hz film mode, 2 screen triggers																	
	5700	D	1024x576	16:9	•	1000 A	1400:1				1	2	5WC,1R	1-DD	1.89:1 - 2.63:1	•	S	4.3 x 13.8 x 12.8	9.5	\$3,999
			EISA Award Winner, Matterhorn DMD, Faroudja DCDi (FLI2310), 2 screen triggers																	
	4805	D	854x480	16:9	•	750 A	2000:1				1	1	2WC	1-DD	1.77:1-2.13:1	•	S	4.2 x 9.8 x 12.5	7.8	\$1,499
			DarkChip2, Faroudja DCDi FLI 2310, DVI w/ HDCP, screen trigger																	
	777	D	1280x720	16:9	•	2000 A	3000:1				1	2	5WC,1R	1-DD	.069 - 5.60	•	S	28.4 x 8.5 x 23.7	44.4	\$29,999
			3-chip DLP, Faroudja DCDi FLI 2310, <30 dBA, 48Hz film mode, 2 screen triggers, 7 lens options with lens shift																	
	5000	L	1280x720	16:9		1100 A	800:1				1	1	3WC, 1R	1-DD	1.65 - 1.98	•	S	4 x 11.5 x 10.2	7.5	\$1,999
			H&V keystone correction, short throw lens, screen trigger, RS232																	
JVC Professional	DLA-HX1	S	1400x788	16:9	•	1000 A	800:1		•	1	1	1	YC, 1CR, 1R	1-DD	2.0-2.5:1	•	S	4.9x11.75x14.25	13.2	\$12,995
			3 D-ILA panels																	
	DLA-SX21	S	1400x1050	4:3W	•	1500 A	800:1		•	1	1	1	YC, 1CR, 1R	1-DC	2.0-2.5:1	•	S	4.9x11.75x14.25	13	\$8,995
			3 D-ILA panels																	
	DLA-SX21SU	S	1400x1050	4:3W		1500 A	800:1		•	1	1	1	YC, 1CR, 1R	1-DC	1.0:1	•	S	4.9x11.75x14.25		\$10,995
	DLA-G150CL	S	1365x1024	4:3W		1000 A	600:1		•	1	1	1	YC, 1WC, 1R	1-DC	1.0-5.6:1	•	S	10.4x19.9x15.5		\$18,995
			3 Chip D-ILA																	
	DLA-HD2K	S	1920x1080	16:9		500 A	2000:1				1	1	YC, 1WC, 1CR	1-DD	1.8-2.35:1	•	S	4.9x11.75x14.25		\$29,995
			3 Chip D-ILA																	
	DLA-QX1G	S	2048x1536	4:3W		7000 A	1000:1		•				1WC,	1-DD	1.0-7.0:1	•	S	13.7x29.4x31.2		\$225,000
			1CR, 1R																	
			3.2 Megapixel Resolution																	
Maxx Products	1400	O	1400x1050	4:3W		1600 A	800:1	NT	•	1	2/1	1/1	1C, 1R	1-DC			1	11.75 x 14.1 x 4.5	13	\$10,995
	Mustang II Pluss	D	1280x720	16:9		1200 A	2000:1	NT,AT	•		2/1	1/1	1C, 1CR, 1R	1-DC	1.6-2.7:1			12 x 16.9 x 5.3		\$7,995
Mitsubishi	HC3	L	960 x 540	16:9		1300 A	500:1		•		1	1					L	2.8 x 10.8 x 10.5	5.9	\$2,499
			9 Language OSD																	
	HC900	D	1024 x 576	16:9		1500 A	1000:1		•		1	1		1-DD			L	4x12.2x10.2	6.5	\$34,999
			6 segment color wheel																	
	HC2000	D	1280 x 720	16:9		700 A	3600:1		•		1	1		1-DD			L	5.9x16.9x12	7.9	\$1,1999
			23 dBA fan noise																	
NEC	LT240K	D	1024x768	4:3		2000 A	2000:1				1	1					S	4.7 x 10.2 x 11.8	6.5	\$3,495
	LT260K	D	1024x768	4:3		2400 A	1600:1				1	1					S	4.7 x 10.2 x 11.8	6.5	\$3,995
	VT465	L	800x600	4:3		1800 A	400:1				1	1					S	3.5 x 12.2 x 9.7	6.6	\$1,795
	VT46	L	800x600	4:3		1200 A	400:1				1	1					S	3.5 x 12.2 x 9.7	6.6	\$995
	VT660K	L	1024x768	4:3		2000 A	400:1				1	1					S	3.5 x 12.2 x 9.7	6.6	\$2,495

• DISPLAY TYPE: **D**-DLP **L**-LCD **S**-D-ILA **O**-Other • ASPECT RATIO: **4:3W**-4:3 with 16:9 mode • PEAK LIGHT OUTPUT MEASUREMENT: **C**-cd/m² **A**-ANSI Lumens **L**-Lumens **N**-Nits **F**-fl (footlambert)
O-Other • TUNER: **NT**-NTSC **A**-ATSC **CS**-Cable 8VSB **Q**-QAM **P**-POD • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning • OTHER: **Var**-Varies

BRAND	MODEL	DISPLAY TYPE	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	THROW DISTANCE	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	LIST PRICE
	HT1000	D	1024x768	4:3	1000 A	3000:1	•			1	1	1	1	1-DD				S			4.72 x 10.24 x 12.56	7.1	\$4,495
	WT600	D	1024x768	4:3	1500 A	3000:1	•			1	1	1	1	1-DC				S			8.9 x 15.35 x 11.6	13	\$6,995
	HD4K	D	1280x1024		3500 A	1200:1	•			1	1	1	1	1-DC				S			12.2 x 22.0 x 26.9	94.8	\$52,745
	LT170	D	1024x768	4:3	1500 A	1000:1				1	1	1	1					S			3.4 x 4.9 x 11.3	3.9	\$2,450
	LT10	D	1024x768	4:3	1100 A	2000:1				1	1	1	1					S			2.2 x 7.8 x 5.8	2.1	\$2,895
Optoma	H50	D	800x600	4:3W	1200 A	800:1	•	3		1	1	0WC, 1CR	1-DC	2.1-2.5	•	3	S				3.3x10.9x8.9	6.4	\$2,995
	H56	D	1024x768	4:3W	1000 A	2000:1	•			1	1	0WC, 1CR	1-DC	2-2.4	•		S				3.3x10.9x8.9	6.4	\$3,995
	H76	D	1280x720	16:9	1000 A	2000:1	•			1	1	1WC, 1CR	1-DD	1.6-2.16	•		S				5.3x16.9x12	16.5	\$5,995
Panasonic	PT-AE500U	L		16:9	850 O	1300:1	•			1	1	1	1	1-DD				S			3.3 x 11 x 10.56	6.4	\$2,500
	HDTV compatibility: 480p/720p/1080i																						
Piano	HE-3200	D	848x600	DM	450 L	700:1	•			1	1	1	1	1-DC	3.9-22.6			S			3.6 x 9.3 x 7.8	4.4	\$2,999
Runco	CL-510	D	1024x576	16:9	900 A	1700:1	•			1	1	1C, 1CR, 1R	1-DD					S			5.8 x 16.1 x 14.5	22	\$5,995
	CL-510LT	D	1024x576	16:9	900 A	1700:1	•			1	1	1C, 1CR, 1R	1-DD					S			5.8 x 16.1 x 14.5	22	\$6,995
	Long Throw Lens																						
	CL710	D	1280x720	16:9	1000 A	1800:1	•			1	1	1C, 1CR, 1R	1-DD					S			5.8 x 16.1 x 14.5	22	\$9,995
	CL710LT	D	1280x720	16:9	1000 A	1800:1	•			1	1	1C, 1CR, 1R	1-DD					S			5.8 x 16.1 x 14.5	22	\$10,995
	Long Throw Lens																						
	VX-1000ci	D	1280x720	16:9	1500 A	2500:1	•			1	1	1C, 1CR, 1R	1-DD					S			7.1 x 20.9 x 21.6	50	\$16,995
	VX-4000ci	D	1281x720	16:9	1500 A	2500:1	•			1	1	1C, 1CR, 1R	1-DD					L			8.9 x 20.9 x 27.9	73	\$19,995
	6 Premium home theater lenses																						
	VX-5000ci	D	1280x720	16:9	1500 A	2500:1	•			1	1	1C, 1CR, 1R	1-DD					L			8.9 x 20.9 x 27.9	73	\$26,995
	Professional Cinema Grade Optics																						
	VX-2c	D	1280x720	16:9	2500 A	2800:1	•			1	1	1C, 1CR, 1R	1-DD					S			8.9 x 20.9 x 27.9	81	\$34,995
	16:9 native resolution in a 3-chip system																						
	VX-4c	D	1280x1024	5:4	3000 A	1000:1	•			1	1	1C, 1CR, 1R	1-DC					S			13.0 x 28.9 x 31.6	175	\$70-100k
	4 Models: 720P, 960P, 1024P, 1024P with 2.35 aspect ratio																						
	VX-6c	D	1280x1024	5:4	6000 A	1000:1	•			1	1	1C, 1CR, 1R	1-DC					S			13.0 x 28.9 x 31.6	181	\$90-120k
	4 Models: 720P, 960P, 1024P, 1024P with 2.35 aspect ratio																						
	MBX-1	D	1280x1024	5:4	5000 A	1100:1	•			1	1	1C, 1CR, 1R	1-DD					L			13.3 x 26.6 x 33.1	203	\$249,995
Sanyo	PLV-70	L	1366x768	16:9	2200 A	900:1				2/0	3/0	1/0	3/0CR			4.9-51.2							\$8,995
	PLV-Z1	L	964x544	16:9	700 A	800:1						1/0	1/0	1/0CR		3.6-19.7							\$2,495
Sharp	XV-Z10000	D	1280x720	16:9	800 L	2600:1	NT,AT	•		1	1	1	1	1-DD	100, 13'2-17'9			S			19 x 7 x 16	21	\$8,000
	DT-300	D	1024x576	16:9	600 L	2000:1	AT			1	1	1	1	1-DD	100, 2.6-3.2'			S			14 x 13 x 6	8	\$3,800
	XV-Z200	D	1024x576	16:9	600 L	2000:1	AT			1	1	1	1	1-DD	100, 4.3-5.2'			S			14 x 13 x 6	8	\$3,800
	XV-Z12000	D	1280x720	16:9	800 L	5500:1	NT,AT	•		1	1	1	1	1-DD	100, 13'2-17'9			S			19 x 7 x 16	21	\$11,000
SIM2	HT500 LINK	D	1280x720	16:9	2000 A	4000:1	•	1		2	2	4C, 4WC, 4CR, 4R	1-F, 1-H 1-DD	1.2-5.6:1	•		S				21 x 9 x 24	60	\$32,995
	5 lens options. Fiber Optic connect from the DOIP to the projector, 3-chip, Faroudja DCDI, 8000 hour lamp																						
	HT300 Link	D	1280x720	16:9	900 A	2800:1	•	1		2	2	4C, 4WC, 4CR, 4R	1-F, 1-H 1-DD	1.8-2.4:1	•		S				7 x 14 x 13	13	\$14,995
	Fiber Optic connect from the DOIP to the projector, Faroudja DCDI, 8000 hour lamp																						
	HT300 XTRA	D	1280x720	16:9	900 A	2800:1	•			1	1	1C, 1WC, 1H	1-H	1.8-2.4:1	•		S				7 x 14 x 13	13	\$11,995

• DISPLAY TYPE: **D**-DLP **L**-LCD **S**-D-ILA **O**-Other • ASPECT RATIO: **4:3W**-4:3 with 16:9 mode • PEAK LIGHT OUTPUT MEASUREMENT: **C**-cd/m² **A**-ANSI Lumens **L**-Lumens **N**-Nits **F**-fL (footlambert)
O-Other • TUNER: **NT**-NTSC **A**-ATSC **CB**-Cable 8VSB **Q**-QAM **P**-POD • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning • OTHER: **Var**-Varies



DIGITAL FRONT PROJECTORS

BRAND	MODEL	DISPLAY TYPE	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	THROW DISTANCE	PIP (Picture-in-Picture) INTERNAL AUDIO	EXTERNAL AUDIO REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	LIST PRICE	
													1CR, 1R								
			Faroudja DCDi, 8000 hour lamp																		
	HT280	D	1024x576	16:9		900 A	2300:1	•		1	1		1C, 1WC, 1CR, 1R	1-H	2.2-3.0:1	•	S	7 x 14 x 13	13	\$7,995	
			Faroudja DCDi, 8000 hour lamp																		
	Domino 20	D	1024x576	16:9		900 A	2000:1	•		1	1		1C, 1WC, 1CR, 1R	1-H	2.2-3.0:1	•	S	7 x 14 x 13	13	\$5,995	
			Faroudja DCDi, 6000 hour lamp																		
	Domino 30	D	1280x720	16:9		900 A	2000:1	•		1	1		1C, 1WC, 1CR, 1R	1-H	1.8-2.4:1	•	S	7 x 14 x 13	13	\$7,995	
			Faroudja DCDi, 6000 hour lamp																		
Sony	VPL-HS20	L	1386x788	16:9	•	1400 A	1300:1	•		1/0	1/0	1/0C, 1/0WC1-DD, 1-H				2	U	13.6 x 5.8 x 14.6	12	\$3,499	
			Side Shot2 Digital Keystone																		
	VPL-HS3	L	858x484	16:9	•	1200 A	800:1	•		1/0	1/0	1/0C				2	U	12 x 6.6 x 12.7	10	\$1,499	
			Side Shot2 Digital Keystone																		
Studio	20HD	L	1366x768	16:9		2200 A	900:1	•		2	1		1C, 2R	1-DC			S	6.6 x 12.6 x 16.9	17.4	\$7,999	
Experience	1HD	L	964x544	16:9		700 A	800:1	•		1	1		1C, 1R				S	4.3 x 13.1 x 9.7	7.5	\$2,399	
	50HD	D	1280x720	16:9		1000 A	1700:1	•		1	1		2C, 1R	1-DD			S	3.9 x 13.4 x 9.8	11	\$8,500	
	30HD	D	1024x576	16:9		800 A	2000:1	•		1	1		2C	1-DD			S	5.6 x 12.7 x 12	11	TBD	
TAW	Stealth	D	1280x720p	16:9		1500 A	1700:1	•		1	1		2C, 1R	1-DD	1.35 - 1.67	•	S	4 x 9 x 13	12	\$6,999	
			Packages with Rock video processor available																		
	Revolution	D	1280x720p	16:9		1800 A	2700:1							1-DC	.64 - 5.6	•	U	12.5 x 17.5 x 21	47	TBD	
			Sells with Rock Pro; also has 15 point convergence & colorimetry in 10 IRE windows																		
Toshiba	MT800	D		16:9		1100 L	2200:1	•		1/0	2/0		2WC, 1R	1/0-DD		•	S	4.3 x 13.8 x 12.8	10	\$10,000	
Vidikron	Model 20	D	1024x576	16:9		850 A	1500:1	•		1	1		1C, 1CR, 1R	1-DD	1.71-2.06	•	S	5.3 x 15.8 x 11.0	17.5	\$5,495	
			Cat's Eye Optics; 9-point white balance, RS-232																		
	Model 20 ET	D	1024x576	16:9		850 A	1500:1	•		1	1		1C, 1CR, 1R	1-DD	2.31-3.06	•	S	5.3 x 15.8 x 11.0	17.5	\$6,495	
			Cat's Eye Optics; 9-point white balance, RS-232																		
	Model 40	D	1280x720	16:9		950 A	1600:1	•		1	1		1C, 1CR, 1R	1-DD	1.38-1.63	•	S	5.3 x 15.8 x 11.0	17.5	\$8,995	
			Cat's Eye Optics; 9-point white balance, RS-232																		
	Model 40 ET	D	1280x720	16:9		950 A	1600:1	•		1	1		1C, 1CR, 1R	1-DD	1.83-2.40	•	S	5.3 x 15.8 x 11.0	17.5	\$9,995	
			Cat's Eye Optics; 9-point white balance, RS-232																		
	Model 60	S	1400x788	16:9		1000 A	800:1	•		1	1		1C, 1CR, 1R	1-DD	TBA	•	S	7.4 x 16.1 x 20.3	20	\$14,995	
			3 Chip D-ILA, seamless picture for small environments																		
	Model 100	L	1366x768	16:9		4000 A	900:1	•		1	2		1C, 1CR, 1R	1-DD	TBA	•	S	9.5 x 21.4 x 25.9	61.5	\$24,995	
			3 panel LCD, created to compete with high ambient light settings																		
ViewSonic	PJ250	D	1024x768	4:3W		1000 L	2000:1		1					1-DC	47-260	1	1	S	1.8 x 7.1 x 5.6	2	\$1,999
	PJ510	L	800x600	4:3W		1200 L	300:1		1	1	1		1C, 1WC		1.49, 1.78	1	S	3.6 x 13 x 9.8	6	\$995	
	PJ501	L	800x600	4:3W		1500 L	400:1		1	1	1		1C, 1WC		30-233	1	S	3.3 x 11.3 x 8.3	5	\$1,199	
	PJ551	L	1024x768	4:3W		1500 L	400:1		1	1	1		1C, 1WC		30-233	1	S	3.3 x 11.3 x 8.3	5	\$1,649	
	PJ550	L	1024x768	4:3W		1200 L	300:1		1	1	1		1C, 1WC		30-233	1	S	3.3 x 11.3 x 8.3	5	\$1,599	
	PJ650	L	1024x768	4:3W		2000 L	350:1		1	2/1	1		1C, 1WC		1.49, 1.79	1	S	2.8 x 10.6 x 8.3	6	\$1,999	

• DISPLAY TYPE: **D**-DLP **L**-LCD **S**-D-ILA **O**-Other • ASPECT RATIO: **4:3W**=4:3 with 16:9 mode • PEAK LIGHT OUTPUT MEASUREMENT: **C**-cd/m² **A**-ANSI Lumens **L**-Lumens **N**-Nits **F**-fl (footlambert)
O-Other • TUNER: **NT**-NTSC **A**-ATSC **CB**-Cable 8VSB **Q**-QAM **P**-POD • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning • OTHER: **Var**-Varies

BRAND	MODEL	DISPLAY TYPE	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	THROW DISTANCE	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	LIST PRICE
	PJ750	L	1024x768	4:3W		2300 L	400:1			1		2/1	1	1C, 1WC		46-612	2	S		3 x 11.7 x 9	7	\$2,599	
	PJ1065	L	1024x768	4:3W		3500 L	500:1			1		2/1	1	1C, 1WC	1-DC	43-432	1	2	S	5.5 x 11.4 x 13.6	14	\$4,399	
Yamaha	DPX-1100	D	1280x720	16:9	•	800 A	4000:1	•				1	1	2/1WC, 1R	1-H	1.36-2.19			S	7.5 x 19.5 x 18.4	30	\$12,495	
			HD2+ DMD, HDMI Input, RS-232C Control, Motorized Lens Shift																				
	DPX-1000	D	1280x720	16:9	•	800 A	2700:1	•				1	1	2/1WC, 1R	1-DD	1.36-2.19			S	7.5 x 19.5 x 18.4	30	\$12,000	
			HD2 DMD, DVI Input, RS-232C Control, Motorized Lens Shift																				
	LPX-510	L	1280x720	16:9	•	1000 A	1200:1	•				1	1	2/1WC, 1R	1-H	1.42-1.94			S	5.4 x 17.3 x 12.6	14	\$5,495	
			RS-232C Control, Vertical & Horizontal Lens Shift																				
	LPX-500	L	1280x720	16:9	•	800 A	800:1	•				1	1	2/1WC, 1R	1-DC	1.42-1.94			S	4.37 x 16.1 x 11.06	10	\$5,500	
			RS-232C Control																				

• DISPLAY TYPE: **D**-DLP **L**-LCD **S**-D-ILA **O**-Other • ASPECT RATIO: **4:3W**-4:3 with 16:9 mode • PEAK LIGHT OUTPUT MEASUREMENT: **C**-cd/m² **A**-ANSI Lumens **L**-Lumens **N**-Nits **F**-fL (footlambert)
O-Other • TUNER: **NT**-NTSC **A**-ATSC **CB**-Cable 8VSB **Q**-QAM **P**-POD • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning • OTHER: **Var**-Varies