



VIDEO PROCESSORS

BRAND	MODEL	3:2 PULLDOWN	VIDEO PROCESSING	ASPECT-RATIO PRESETS	UPCONVERTS 480P	UPCONVERTS 720p	1080i	TIME BASE CORRECTOR	OUTPUT RESOLUTION	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	REMOTE	DIMENSIONS (H x W x D in.)	LIST PRICE
AV Toolbox	AVT-3370	•	Scaler	2	•	•	•			1	1	1C		S	1.75 x 8.1 x 6.2	\$395
									Output resolution: 480p,576p,720p,1080i/640:480, 800:600, 1024:768, 1280:1024							
	CSC-1600HD	•	Scaler	2	•	•	•		(See comment below)	1	1	1C, 1R		S	1.75 x 17.25 x 7	\$1,275
									Output resolution: 480p,576p,720p,1080i/640:480, 800:600, 1024:768, 1280:1024, 1365:768							
	C2-770	•	Scaler	2	•	•	•	•	(See comment below)	3	3	3C, 2WC, 2CR, 2R		S	1.75 x 17 x 7.9	\$4,500
									Output resolution: 480p,576p,720p,1080i/640:480, 800:600, 1024:768, 1280:1024, 1365:768, 2048:2048							
	AVT-3800	•	Scaler	2					(See comment below)	1	1	1C, 1CR		S	1.75 x 8.1 x 6.2	\$495
									Output resolution: 480p,576p,720p,1080i							
	1T-PC1280HD	N	Conv.		•				(See comment below)			1C, 1WC, 1CR, 1R			1 x 7 x 4	\$395
									Output resolution: up to 1280:1024, 480p, 576p, 720p							
	1T-PC1280PC	N	Conv.									1CR			1 x 7 x 4	\$325
									Output resolution: All PC up to 1280:1024							
Communications Specialties	Deuce 2200		MA						(See comment below)	1	1	1R			1.5 x 7.25 x 8	\$2,195
									Output resolution: 640x480, 800x600, 1024x768, 852x480, 832x624, 1280x1024. Features video processing controls							
	Deuce 2210A		MA	4					(See comment below)	1	1	1C			1.75 x 16.75 x 14	\$4,995
									Output resolution: 640x480, 800x600, 1024x768, 852x480, 832x624, 1280x1024, 1280x768, 1365x1024, HDTV 480p, HDTV 720p							
	Deuce 2220	•	MA						(See comment below)	1	1	1C, 1R			1.5 x 7.25 x 8	\$1,095
									Output resolution: 800x600, 1024x768, 852x480. User-selectable motion-compensation feature							
	Deuce 2230	•	MA	3					(See comment below)	1	1	1C, 1R			1.5 x 7.25 x 8	\$1,495
									Output resolution: 480p, 720p, 1080p, 1280x1024, 1366x768. Aspect ratio conversions							
	Deuce 2240	•	MA						(See comment below)	1	1	1C, 1R			1.5 x 7.25 x 8	\$795
									Output resolution: 800x600, 1024x768, 1280x1024. Auto. selects motion compensation							
Crystal View	CV-NNR1	•	pixel	4	•	•	•		480-1080P	8	8	4C, 2WC, 2CR, 2R		S	17 x 10 x 3.5	\$2,495
									Included with each Crystal View Plasma or DLP Projector							
DigiVision	HT-70e								480i	1	1	1C		S	2.8 x 17 x 13	\$1,200
									Includes real-time image enhancement							
DVDO	MM601	•	MA	20	•	•	•	•	720p, 1080i	2	2	2C, 1WC, 2CR, 1R	1-DC	S	2.2 x 17 x 10.4	\$1,999
	MM504	•	MA	3				•	480p	2	2	2C, 1WC, 0CR, 1R		S	2.2 x 17 x 10.4	\$899
DWIN	TranScanner 3	•		5	•	•	•	•	Multiple	2/0	2/0	2/0C, 2/0WC	2/1-DD	U		\$3,500
Faroudja	NRS-DVI	•	MA	3	•	•			1365:1024	1	1	1/1C, 1WC, 1CR, 1/1R	1/1-DC	S	1.75 x 17 x 11.75	\$3,995
									HDTV transcoding							
	DVP1000	•	MA	3	•	•			1365:1024	1	1	1/1C, 1WC, 1CR, 1/1R/1-DC		L	1.75 x 17 x 11.75	\$6,995

• VIDEO PROCESSING: MA-Motion Adaptive S-Scaler C-Converter • COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI • REMOTE: S-Standard U-Universal L-Learning



VIDEO PROCESSORS

BRAND	MODEL	3:2 PULLDOWN	VIDEO PROCESSING	ASPECT-RATIO PRESETS	UPCONVERTS 480p	UPCONVERTS 720p	1080i	TIME BASE CORRECTOR	OUTPUT RESOLUTION	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	REMOTE	DIMENSIONS (H x W x D in.)	LIST PRICE
		HDTV cross-conversion														
	DVP1500	•	MA	3	•	•			1365:1024	1	1	1/1C, 1WC, 1CR, 1/1R1/1-DC	L		5.75 x 17.25 x 13.5	\$9,995
		Internal DVD drive														
	DVP4000	•	MA	3	•	•			1365:1024	1	1	1/1C, 1WC, 1CR, 1/1R1/1-DC	L		5.75 x 17.25 x 13.5	\$14,995
		Internal DVD drive														
Focus Enhancements	CS-2	•	MA		•	•	•	•	Vesa, HDTV, Custom	2	2	2C, 2WC, 3/1CR	1/1-DD	S	3.5 x 19 x 9	\$2,495
		SDI input opt., downloadable resolutions														
	CS-1	•	MA		•	•	•		Vesa, HDTV, Custom	2	2	2C, 2WC, 3/1CR	1/1-DC	S		\$1,995
		Downloadable resolutions.														
	CS-HD	•	MA		•	•	•		Vesa, HDTV	2	2	2C, 1WC, 3CR		S		\$995
Key Digital Systems	KD-HD1080P	•	MA	6	•	•			(See comment below)	2/0	2/0/1/0C, 1/1WC, 0/1CR, 1/1R2/1-DDS				3.5 x 17.4 x 10.6	\$3,999
		Output resolution: 640:480, 720:480, 852:480, 1024:512, 800:600, 960:540, 1920:540, 852:576, 1280:720, 1024:768, 1280:768, 1366(5):768, 1280:960, 1024:1024, 1280:1024, 1365:1024, 1400:1050, 1920:1080														
	KD-PI0768P	•	MA	6	•	•			1280:768, 1024:768	1/0	1/0	1/0C, 1/0WC, 1/0R	2/0-DD	S	1 x 11.2 x 8.6	\$1,999
	KD-MT1080P	•	MA	6	•	•			(See comment below)	2/0	2/0/1/0C, 1/1WC, 0/1CR, 1/1R2/1-DDS				3.5 x 17.4 x 10.6	TBA
		Output resolution: 640:480, 720:480, 852:480, 1024:512, 800:600, 960:540, 1920:540, 852:576, 1280:720, 1024:768, 1280:768, 1366(5):768, 1280:960, 1024:1024, 1280:1024, 1365:1024, 1400:1050, 1920:1080														
	KD-SDI1080P	•	MA	2	•	•			(See comment below)	0/0	0/0	0/0WC, 0/0CR, 0/0R	0/1-DD		1.75 x 8.5 x 4	\$2,499
		Output resolution: 720:480p, 1280:720p, 1280:768p, 1920:1080i, and 1920:1080p (16:9), 800:600p, 1024:768p, 1280:1024p (4:3)														
	KD-VTCA3									0/0	0/0	0/1WC, 0/0CR, 1/1R			0.75 x 2 x 4.75	\$249
		VGA to component adapter with VGA and SCART loop-through														
	KD-CTCA 2			0						0/0	0/0	1/1WC, 0/0CR, 1/1R			0.75 x 2 x 4.75	\$299
		Component to 2 VGA video adapter														
	KD-CTCA 3			0						0/0	0/0	1/1WC, 0/0CR, 1/1R			0.75 x 2 x 4.75	\$299
		Component to VGA Adapter with VGA and Component passthrough														
	KD-MSW8x3			0						8/3	8/3	8/3WC, 0/0CR, 8/3R	S		3.5 x 17 x 10.2	\$1,499
		Versatile, 8-In 3-Out HD/SD Matrix Component (YPrPb) Switcher (also VGA RGBHV, S & Composite Video, L&R and PCM Audio),														
		IR remote & RS-232														
	KD-SW4x1			0						4/1	4/1	4/1WC, 0/0CR, 4/1R	S		1.75 x 17.5 x 4	\$499
		4-In 1-Out HD/SD Matrix Component (YPrPb) Switcher (also VGA RGBHV, S & Composite Video, L&R and PCM Audio), IR remote & RS-232														
	KD-SW2x1			0						2/1	2/1	2/1WC, 2/1CR, 0/0R			1.75 x 8.6 x 4	\$299
		Automatically switches active input: 2-In 1-Out Component (YPrPb) (also S & Composite video, L&R and digital PCM Audio)														

• VIDEO PROCESSING: **MA**-Motion Adaptive **S**-Scaler **C**-Converter • COMPONENT/RGBHV I/O: **C**-Component **WC**-Wideband Component **CR**-Component or RGB **R**-RGBHV • DIGITAL VIDEO I/O: **F**-FireWire **DD**-DVI with HDCP **DC**-DVI without HDCP **H**-HDMI • REMOTE: **S**-Standard **U**-Universal **L**-Learning



VIDEO PROCESSORS

BRAND	MODEL	3:2 PULLDOWN	VIDEO PROCESSING	ASPECT-RATIO PRESETS	UPCONVERTS 480P	UPCONVERTS 720p	1080i	TIME BASE CORRECTOR	OUTPUT RESOLUTION	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	REMOTE	DIMENSIONS (H x W x D in.)	LIST PRICE
	KD-DA6			0								1/6WC, 0/OCR, 0/OR			0.5 x 8 x 2	\$549
				6-Channel output Component (YPbPr; Left, Right, and PCM Audio) Video Distribution Amplifier												
Maxx Products	100 AVP	•		2	•	•	•		(See comment below)	2	2	1C, 2R	1-DC			\$2,495
				Output resolution: 480p, 540p, 576p, 720p, 1080i, 1080p and many more												
	200 AVP	•		3	•	•	•		(See comment below)	2	2	1C, 2R	1-DC			\$2,995
				Output resolution: 480p, 540p, 576p, 720p, 1080i, 1080p and many more												
	TruVision	•		VAR	•	•	•		(See comment below)	6	2	1C, 2R	1-DC			\$6,995
				Output resolution: 480p, 540p, 576p, 720p, 1080i, 1080p and many more												
Reference Imaging	REF1	•	MA	40				•	720p60,1080i60,1080p48sf	3	1	1C			3.5 x 19 x 25	\$34,900
	REF2	•	MA	40					720p60,1080i60,1080p48sf						5.25 x 19 x 25	\$59,500
Runco	PPF-7	•	MA	3				•	1280x768, 720p	1	1	1C, 1R	S		3.5 x 17.5 x 16.0	\$4,995
	PPF-11	•	MA	3				•	1366x1024, 720p	1	1	1C, 1R	S		3.5 x 17.5 x 16.0	\$6,995
	VHD Ultra 4402	•	MA	3				•	600P; Fixed Pixel : 800 x 600	1	1	1C, 1R	S		3.5 x 17.5 x 16.0	\$7,995
	VHD Ultra 4403	•	MA	3				•	768P; Fixed Pixel: 1366 x 768	1	1	1C, 1R	S		3.5 x 17.5 x 16.0	\$14,995
	VHD Ultra 4404	•	MA	3				•	1080P; Fixed Pixel: 1366 x 1024	1	1	1C, 1R	S		3.5 x 17.5 x 16.0	\$19,995
	DHD-12	•		4	•	•	•		(See comment below)	1	2	1C, 2WC, 1CR, 2R	2-DD	S	3.5 x 17.5 x 11.0	\$6,995
				Output resolution: 1024x768, 1280x768, 1366x768, 1280x1024 - w/ all multiple ratios, 480p, 576p, 720p, 1080i.												
Snell & Wilcox	G2	•	STI	VAR					(See comment below)	1	1	1C, 1R			5.25 x 19 x 16.5	\$35,000
				Output resolution: 480p/60, 540p/60, 600p/60, 720p/60, 768p/60, 864p/60, 960p/60, 960i/60, 960i/120, 1024p/60, 1080i/60												
TAW	Rock Lite V2	•	MA	VAR				•	upto 768p	1/0	1/01C, 1/0WC, 1/0CR, 1/1R0/1-DC	U			5.5 x 17 x 17.5	\$2,899
				For all Plasmas, LCD & DLP displays; upgradeable												
	Rock+ V2	•	MA	VAR				•	upto 1536p	1/0	1/01C, 1/0WC, 1/0CR, 1/1R0/1-DC	U			5.5 x 17 x 17.5	\$3,499
				SDI standard; upgradeable,												
	Rock Pro	•	MA	VAR	•	•	•		upto 1536p			1C, 1/0WC, 1/0CR, 1/1R0/1-DC	U		5.5 x 17 x 17.5	\$4,499
				SDI standard field installable inputs, plus HD scaling; upgradeable												
ViewSonic	N6	•	MA	2	•	•			All	1	1	1C, 1WC, 1/1R	S		1.6 x 6.5 x 9.5	\$249
	N5	•	MA	2	•	•			All	1	1	1C, 1WC, 1/1R			1.4 x 8.8 x 5.7	\$149
	N4	•	MA	2	•	•	•		All	1	1	1/1R			1.4 x 8.8 x 5.7	\$129

• VIDEO PROCESSING: MA-Motion Adaptive S-Scaler C-Converter • COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI • REMOTE: S-Standard U-Universal L-Learning