

PLASMA AND LCD DISPLAYS

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	
Akira	Neoart EPM-420	P	42	852:480	16:9	• 1000 C	1000:1		• 5/2	0	1/0	1/0	2/0C,1WC,1CR,1/OR	1-DC	• 10	10	S	26 x 42 x 3.22	57.4	\$4,995			
	Neoart SV-4202IQ	P	42	852:480	16:9	• 850 C	1200:1		• 5/2	0	1/0	1/0	2/0C,2WC,1CR,1/OR	1-DC	• 10	10	S	26 x 42 x 3.22	57.4	\$5,995			
	Neoart SV-4202HQ	P	42	1024:768	16:9	• 1000 C	3000:1	NT, A	• 5/2	1	1/0	1/0	2/0C,2WC,1CR,1/OR	1-DD	• 10	10	S	26 x 42 x 3.22	57.4	\$5,995			
	Neoart EPM-500	P	50	1366:768	16:9	• 620 C	600:1		• 5/2	0	1/0	1/0	2/0C,1WC,1CR,1/OR	1-DC	• 10	10	S	29 x 48 x 3.86	99.3	\$9,495			
	Neoart EPM-500TS	P	50	1366:768	16:9	• 1000 C	1200:1		• 5/2	0	1/0	1/0	2/0C,1WC,1CR,1/OR	1-DC	• 10	10	S	29 x 48 x 3.86	99.3	\$9,995			
	Neoart HPT-500HTS	P	50	1366:768	16:9	• 1000 C	3000:1	NT, A	• 5/2	1	1/0	1/0	2/0C,2WC,1CR,1/OR	1-DD	• 10	10	S	29 x 48 x 3.43	99.3	\$9,995			
	Neoart EPM-600	P	60	1280:720	16:9	• 620 C	600:1		• 5/2	0	1/0	1/0	2/0C,1WC,1CR,1/OR	1-DC	• 10	10	S	35 x 57 x 3.9	147	\$14,995			
	Neoart EPM-600TS	P	60	1280:720	16:9	• 1000 C	1200:1		• 5/2	0	1/0	1/0	2/0C,1WC,1CR,1/OR	1-DC	• 10	10	S	35 x 57 x 3.9	147	\$15,995			
	Neoart HPT-630TS	P	63	1366:768	16:9	• 1000 C	3000:1	NT, A	• 5/2	1	1/0	1/0	2/0C,2WC,1CR,1/OR	1-DD	• 10	10	S	37 x 59 x 4.0	168	\$24,995			
	Neoart PK-8401	P	84	1706:960	16:9	• 600 C	2500:1		• 5/2	0	2/0	1/0	2/0C,2WC,2CR,2/OR		• 10	10	U	46 x 79 x 4.13	264	\$44,500			
	Neoart LT-300	L	30	1280:768	16:9	• 450 C	400:1	NT, A	• 5/2	1	2/2	2/0	2/0C,1WC,1CR,1/OR		• 10	10	S	19 x 28 x 3.7	38	\$5,995			
	Neoart LT-320	L	32	1280:768	16:9	• 450 C	500:1	NT, A	• 5/2	1	2/2	1/0	2/0C,1WC,1CR,1/OR	1-DD	• 10	10	S	21 x 30 x 3.9	40	\$7,995			
	Neoart LT-400	L	40	1280:768	16:9	• 450 C	600:1	NT, A	• 5/2	1	2/2	1/0	2/0C,1WC,1CR,1/OR		• 10	10	S	26 x 42 x 3.22	55	\$9,995			
	Neoart LT-520	L	50	1280:768	16:9	• 600 C	1000:1	NT, A	• 5/2	1	2/2	1/0	2/0C,1WC,1CR,1/OR	1-DD	• 10	10	S	35 x 57 x 3.9	74	\$12,995			
Audiovox	FP1210	L	12.1					NT									S					\$589	
	FP1500	L	15		4:3	400 N		NT									S						\$799
	FP2000	L	20		4:3	400 N		NT									S						\$1,699
	FP1500DV	L	15					NT									S						\$799
Crystal View	CVP-43 HD	P	43	1024:768	16:9		1000:1		• 2/2	2/2	3/2	1C,1CR,1R	1-DC		20		U	42 x 25 x 4	70	\$12,995			
	CVP-50 HD	P	50	1280:768	16:9		1000:1		• 2/2	2/2	3/2	1C,1CR,1R	1-DC		20		U	48 x 28 x 4	85	\$16,995			
Cyberhome	CH-LCTV 150	L	15	1024:768		330 C	200:1	NT		1/1	0/1	1/0	1/OCR							19.5 x 7 x 14	12.1	\$550	
DreamVision	Revolution Two	P	42	853:480	16:9		900:1		• 3/1	1/0	1/0	1/0C,1/OR	1-DD		7		S	25.5 x 41.3 x 3.5	65	\$8,495			

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)			
	Revolution Six	P	50	1365:768	16:9		1000:1		• 3/1		1/0	1/0	1/0C, 1/0R		1-DD	7	S				30.3 x 48.9 x 4.2	98.1	\$13,995		
	Revolution Ten	P	61	1365:768	16:9		900:1		• 2/1		1/0	1/0	1/0C, 1/0R		1-DD	7	S				35 x 58.3 x 4.7	134.5	\$25,995		
DWIN	HD-50TS	P	50	1366:768	16:9	•			•		2/0	2/0	2/0WC, 2/0R		2/1-DD		U				28.5 x 47.6 x 3.5	93	\$11,995		
Electrograph	DTS4230	P	42	852:480	16:9		780 C	4000:1			2/0	2/0	1CR		opt. DC								66	\$3,795	
Fujitsu	P42VHA20	P	42	852:480	16:9		700 O	3000:1	• 3/0	0	1/0	1/0	0C, 2WC, 1/0R		1-DD		12	S				25.3 x 40.8 x 3.8	65	\$4,999	
	P42HHA10	P	42	1024:1024	16:9		1000 O	1000:1	• 3/0	0	1/0	1/0	0C, 2WC, 1/0R		1-DD		20	S				25.3 x 40.8 x 3.8	65	\$7,999	
	P50XHA10	P	50	1366:768	16:9		600 O	3000:1	• 3/0	0	1/0	1/0	0C, 2WC, 1/0R		1-DD		8	S				28.7 x 47.8 x 3.7	99	\$10,999	
	PDS-6101	P	61	1365:768	16:9		600 O	700:1	• 3/0	0	1/0	1/0	0C, 1WC, 1/0R		1-DC		20	S				33.9 x 57.1 x 4.7	134	\$24,999	
Gateway	42 Plasma	P	42	852:480	16:9		1000 O	1000:1	• 6/1		1/0	1/0	2/0C, 1/1R		1-DC		5	U				25.2 x 41 x 3.7	69	TBA	
	42 HD Plasma	P	42	1024:1024	16:9		1000 O	1000:1	• 6/1		1/0	1/0	2/0C, 1/1R		1-DC		5	U				25.2 x 41 x 3.7	69	TBA	
	46 Plasma	P	46	852:480	16:9		800 O	800:1	• 2/1		1/0	1/0	1/0C, 1/0R		1-DC		2	U				28.3 x 44.8 x 3.8	83	TBA	
	50 HD Plasma	P	50	1366:768	16:9		1000 O	1000:1	• 6/1		1/0	1/0	2/0C, 1/1R		1-DC		5	U				30 x 49.4 x 4.2	103	TBA	
	17 Wide LCD	L	17	1280:768	16:9		423 O	600:1	• 3/2		2/1	1/0	0/0C, 1/0R		1-DD		2.7	S				11.7 x 20.2 x 2.8	15	TBA	
	18 LCD	L	18	1024:768	4:3		450 O	350:1			2/1	1/0	1/0	1/0C, 1/0R			3	S				16 x 21.2 x 9.3	14	TBA	
	30 LCD	L	30	1280:1024	16:9		450 O	350:1	• 4/2		1/1	1/0	2/0C, 1/0R		1-DD		8	U				19.3 x 28.9 x 4.2	36	TBA	
Go Video	T1530	L	15	1280:769	4:3		350 C	300:1			2/0	1/0	1/0							S				TBA	
	T1730	L	17	1280:769	16:9		450 C	450:1			2/0	1/0	1/0				• 5	S						TBA	
Helios	HLTV-15SS	L	15.1	1024:768	4:3		450 C	400:1	NT	• 2/1	1/0	1/0	1/0	1/0C, 1R			2.5	S				18.5 x 2.4 x 17.3	14	\$699	
	HLTV-20SS	L	15.1	1024:768	4:3		450 C	400:1	NT	• 2/1	1/0	1/0	1/0	1/0C, 1R			2.5	S				22.8 x 3.1 x 17.9	28	\$1,300	
	HPTV-4205A	P	42	853:480	16:9		1000 C	3000:1	NT	• 5/1	1/0	2/0	1/0	1/0C, 1/0WC, 1R	1-DC	•	10	S				43 x 3.3 x 25.8	80	\$5,000	
	HPTV-5005A	P	50	1366:768	16:9		1000 C	3000:1	NT	• 5/1	1/0	2/0	1/0	1/0C, 1/0WC, 1R	1-DC	•	10	S				48.5 x 3.4 x 29.4	115	\$9,000	
	HPVM-6000A	P	60	1280:720	16:9		530 C	800:1	• 5/1		2/0	1/0	2/0C, 1R		1-DC		10	S				57.4 x 34.7 x 3.9	168	\$16,000	
Hitachi	50HDT50*	P	50	1280:768	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R	1-DD	• 20	U					28 x 48 x 4		\$11,000	
	42HDT50*	P	42	1024:1024	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R	1-DD		20	U					25 x 40.5 x 3.75		\$8,000
	32HDT50*	P	32	852:1024	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R	1-DD		14	U					19.75 x 38.5 x 3.75		\$6,000
	50HDT55*	P	50	1280:768	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R											\$11,500
	42HDT55*	P	42	1024:1024	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R											\$8,300
	32HDT55*	P	32	852:1024	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R											\$6,300
	50HDX60*	P	50	1280:768	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R											\$12,000
	42HDX60*	P	42	1024:1024	16:9	•			NT	• 4/1		4	3	2C, 2WC, 1R											\$9,000

• **DISPLAY TYPE:** P-Plasma L-LCD • **TUNER:** NT-NTSC A-ATSC Q-QAM • **PEAK LIGHT OUTPUT MEASUREMENT:** C-cd/m² A-ANSI Lumens L-Lumens N-Nits F-fl (footlambert) O-Other
• **COMPONENT/RGBHV I/O:** C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • **DIGITAL VIDEO I/O:** F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI
• **REMOTE:** S-Standard U-Universal L-Learning

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)	
		*Learning AV Net, simple remote; antireflective shield																					
	32HDT60*	P 32	852:1024	16:9	•			NT	• 4/1	4	3	2C, 2WC, 1R					L					\$7,000	
JVC	PD-42WX84	P 42	1024:768	16:9			3000:1	NT	• 4/1	1/0	4/0	3/0	2/0	CR	1-DD	• 20	0	U			28.7 x 45.7 x 3.86	83.7	\$6,500
	PD-42WW74	P 42	884:480	16:9			3000:1	NT	• 4/1	1/0	4/0	3/0	2/0	CR	1-DD	• 20	0	U			28.7 x 45.7 x 3.86	83	\$5,500
	LT-26WX84	L 26	1024:768	16:9			500:1	NT	• 4/1	1/0	3/0	2/0	1/0	CR	1-DD	• 20	0	U			22.5 x 27.66 x 3.8	41	\$3,000
LG	RU-15LA61	L 15.1	1024:768	4:3	450 A	400:1	NT	• 2/0	1	2/0	1/0	1/0	1/0	WC			3	S			12.7 x 18.3 x 2.7	13	\$799
	RU20LA61	L 20.1	640:480	4:3	450 A	400:1	NT	• 2/0	1	2/0	1/0	1/0	1/0	WC			5	S			16.2 x 22.8 x 2.8	21	\$1,499
	RU-17LZ22	L 17	1280:768	16:9	450 A	450:1	NT	• 2/0	1	2/0	1/0	1/0	1/0	WC			5	S			13.8 x 18.3 x 2.8	14	\$1,499
	KU-17LZ23	L 17	1280:768	16:9	450 A	450:1	NT	• 2/0	1	2/0	1/0	1/0	1/0	WC			5	S			16.2 x 22.8 x 2.8	21	\$1,999
	RU-23LZ21	L 23	1280:768	16:9	450 A	350:1	NT	• 2/0	1	2/0	1/0	1/0	1/0	WC			5	S			13.8 x 18.3 x 2.8	14	\$2,299
	RU-42PZ90	P 42	852:480p	16:9	1000 A	1200:1	NT	• 1/0	1	1/0	1/0	1/0	1WC	1-DD	•			S			24.5 x 40.7 x 3.2	75	\$4,999
	DU-42PZ60	P 42	1024:768	16:9	1000 A	1200:1	NT, A	• 1/0	1	1/0	1/0	1/0	1WC	1-DD	•			S			24.5 x 40.7 x 3.2	75	\$7,999
	MU-50PZ90V	P 50	1366:768	16:9	1000 A	1000:1		• 1/0	1/0	1/0	1/0	1WC	1-DD	•				S			28.9 x 48.2 x 4.2	98	\$9,999
	DU-50PZ60	P 50	1366:768	16:9	1000 A	1000:1	NT, A	• 1/0	1/0	1/0	1/0	1WC	1-DD	•				S			28.9 x 48.2 x 4.2	98	\$10,999
	MU-60PZ90V	P 60	1280:720	16:9	1000 A	1000:1		• 1/0	1/0	1/0	1/0	1WC	1-DD	•				S			34.8 x 57.3 x 3.9	154	\$14,999
Loewe	Spheros 42 B	P 42	1024:1024	16:9	• 1000 F	1000:1	NT	• 7/3	2/1	4/1	4/1	2/0	WC, 1/0R	1-DD	• 18	18	U				32.3 x 45.1 x 6.5	152	\$12,000
	Spheros 42 PL	P 42	1024:1024	16:9	• 1000 F	1000:1	NT	• 7/3	2/1	4/1	4/1	2/0	WC, 1/0R	1-DD	• 18	18	U				32.3 x 45 x 6.5	152	\$11,000
Luce	LCTV-1515A	L 15.1	1024:768	4:3	400 C	300:1	NT	1/2	1/0	1/0	1/0	1R					2.5	S			15.6 x 12.67 x 2	11	\$1,100
	LCTV-1702A	L 17	1280:1024	4:3	380 C	250:1	NT	• 2/1	1/0	1/0	1/0	1R					2.5	S			17 x 14.29 x 2	12	\$1,499
	LCTV-2201A	L 22	1600:1204	15:10	400 C	300:1	NT	• 2/1	1/0	1/0	1/0	1R				• 2.5	S				23 x 18.7 x 2.75	38	\$4,000
	LCTV-2201GB	L 22	1600:1204	15:10	400 C	300:1	NT	• 4/1	1/0	1/0	1/0	1R				• 2.5	S				23 x 18.7 x 2.75	38	\$4,000
	LCTV-3000SDA	L 30	1280:768	15:10	450 C	500:1	NT	• 5/2	1/0	1/0	1/0	1/0C, 1/0WC, 1R	1-DD, 1-H				10	S			TBA	TBA	\$5,499
	LCTV-3000HDA	L 30	1280:768	15:10	450 C	500:1	NT, A, Q	• 5/3	2/0	1/0	1/0	1/0C, 1/0WC, 1R	1-DD, 1-H				10	S			TBA	TBA	\$6,499
	PDTV-4210A	P 42	853:480	16:9	600 C	2000:1	NT	• 5/2	1/0	2/1	1/0	1/0C, 1/0WC, 1R	1-DC	•		5	S				42.1 x 26 x 4	75	\$7,499
	PDTV-4220A	P 42	853:480	16:9	800 C	2000:1	NT	• 5/2	1/0	2/1	1/0	2/0C, 1/0WC, 1/0CR, 1R	1-DD, 1-H	•		30	S				41 x 24.72 x 4	80	\$7,500
	PDTV-42HDA	P 42	1024:768	16:9	1000 C	3000:1	NT, A, Q	• 5/2	2/0	2/1	1/0	1/0C, 1/0WC, 1R	1-DD, 1-H	•		10	S				43 x 26 x 3.35	78.6	\$6,500
	PDTV-50HDA	P 50	1365:768	16:9	1000 C	1500:1	NT, A, Q	• 5/2	2/0	2/1	1/0	1/0C, 1/0WC, 1R	1-DD, 1-H	•		10	S				48 x 29 x 3.35	112	\$11,500
	PDTV-6100A	P 61	1365:768	16:9	700 C	500:1	NT	• 5/1	1/0	2/1	1/0	1/0C, 1/0WC, 1R	1-DC, 1-H	•		5	S				58.6 x 36.1 x 4	137	\$30,000
	PDTV-42SDA	P 42	853:480	16:9	1000 C	3000:1	NT	• 5/2	1/0	2/1	1/0	1/0C, 1/0WC, 1R	1-DD, 1-H	•		10	S				43 x 26 x 3.35	78.6	TBA
	PDTV-50SDA	P 50	1365:768	16:9	1000 C	1500:1	NT, A	• 5/2	1/0	2/1	1/0	1/0C, 1/0WC, 1R	1-DD, 1-H	•		10	S				48 x 29 x 3.35	112	TBA
Mitsubishi	PD-4225	P 42	852:480	16:9	1000 C	1000:1	NT	• 3/1	1/0	2/0	1/0	1/0WC, 1/1R	1-DD			5	5	U			25 x 41.5 x 3.25	72	\$5,999
	PD-5030	P 50	1365:768	16:9	1200 C	1200:1		• 3/0	0/0	3/0	1/0	1/0WC, 1/0CR, 1/0R	1-DD			5	5	S			30.2 x 49 x 4.2	100	\$11,499
	PD-6130	P 61	1365:768	16:9	1200 C	1200:1		• 3/0	0/0	3/0	1/0	1/0WC, 1/0CR, 1/0R	1-DD			5	5	S			35 x 58.4 x 4.8	135	\$20,499
	LT-2220	L 22	1280:768	16:9	450 C	350:1	NT	• 6/2	1/0	2/0	2/0	2/0WC, 1/0R	1-DD			3	U				18.6 x 22.8 x 4	19.8	\$3,199

• DISPLAY TYPE: P-Plasma L-LCD • TUNER: NT-NTSC A-ATSC Q-QAM • PEAK LIGHT OUTPUT MEASUREMENT: C-cd/m² A-ANSI Lumens L-Lumens N-Nits F-fl (footlambert) O-Other
• COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI
• REMOTE: S-Standard U-Universal L-Learning

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)
	LT-3020	L 30	1280:768	16:9	450 C	350:1	NT	• 6/2	1/0 2/0 2/0	2/0	2/0WC, 1/0R	1-DD	4	U	23.5 x 29.8 x 5	37.5	\$5,199					
Monivision	PD3231	P 32	852:1024	16:9	650 O	450:1	NT	• 4/2	1/0 1/1 1/0	1/0C, 1/1R	0-DC	0 7	S	22 x 32 x 3	100	\$3,599						
	PD46W00	P 46	852:480	16:9	700 O	800:1	NT	• 3/1	1/0 1/1 1/0	1/0C, 1/0R	1-DC	10 10	S	27 x 45 x 4	120	\$3,999						
	LWX30AMS	L 30	1280:768	16:9	500 O	500:1	NT	• 4/1	1/0 1/1 1/0	2/0C, 1/0R	1-DC	5 0	S	32 x 19 x 4	50	\$3,399						
NEC	42VP4	P 42	853:480	16:9				• 3	2 1	2C, 3R	1-DC	8	S	24 x 40 x 3.5	62.8	\$5,995						
	42XM2	P 42	1024:768	16:9				• 3	2 1	2C, 3R	1-DC	8	S	24 x 40 x 3.6	64.9	\$9,995						
	50XM3	P 50	1365:768	16:9				• 3	2 1	2C, 3R	1-DC	9	S	29 x 48 x 3.8	96.4	\$12,995						
	61XM2	P 61	1365:768	16:9				• 3	2 1	2C, 3R	1-DC	9	S	34.6 x 58 x 4.7	134.2	\$19,995						
NetTV	PDP-42V	P 42	852:480	16:9	• 500 O	600:1	NT	• 6/1	1/0 1/0 1/0	1/0 2/0C, 1/0WC, 1/1R	1-DC	•	U	26 x 41 x 4	66	\$4,999						
	PDP-42V6	P 42	852:480	16:9	• 700 O	800:1	NT	• 1/0	1/0 1/0 1/0	1/0 1/0C, 1/0WC, 1/0R	1-DC	•	U	25 x 42 x 4	88	\$4,999						
	LCTV-30W	L 30	1280:768	16:9	• 500 O	500:1	NT	• 2/2	1/0 1/0 1/0	1/0 1/0C, 1/0WC, 1/0R	1-DC	•	U	22 x 35 x 4	45	\$3,499						
	LCTV-17W	L 17	1280:768	16:9	• 400 O	400:1	NT	• 3/3	1/0 1/0 1/0	1/0 1/0C, 1/0WC, 1/0R		•	U	12 x 21 x 3	15	\$999						
Norcent	PT420	P 42	1024:1024	16:9	•	1100:1		•	3 1	1C, 1WC	1-DC	•	5	S	1006 x 598 x 63	77	\$2,999					
	PT425	P 42	852:480	16:9	•	600:1		•	3 1	1C, 1WC	1-DC	•	5	S	1006 x 598 x 63	77	\$3,499					
	PT320	P 32	852:1024	16:9	•	800:1	NT	•	3 1	1C, 1WC	1-DC	•	5	S	837 x 522 x 130	61	\$2,499					
	LTV3021	L 30	1280:768	16:9	•	500:1	NT	•	1 1	1C, 1WC	1-DC	•	5	S	820 x 490 x 90	33	\$2,999					
	LTV2001	L 20	800:600	4:3		450:1	NT		1 1	1C, 0WC	1-DC	•	5	S	438 x 219 x 600	27	\$899					
Panasonic	PT-50PHD4-P	P 50	1366:768	16:9	545 C	3000:1		1	1 1	1R		16	S	28.7 x 47.8 x 3.9	95	\$11,000						
	TH-42PX20U/P	P 42	1024:768	16:9		3000:1		3	3 3		1-H	•	S	29.8 x 44.9 x 3.9	90	\$6,500						
	TH-42PA20U/P	P 42	852:480	16:9		4000:1		3	3 3		1-DD	•	16	S	25.9 x 46 x 3.9	77	\$4,500					
	TH-37PA20U/P	P 37	852:480	16:9		4000:1		3	3 3		1-DD	•	16	S	23.5 x 42.1 x 3.9	65	\$4,000					
	TC-32LH1	L 32	854:480	16:9			NT			2	2CR						\$2,500					
	TC-22LA1	L 22	640:480	4:3	450 C	400:1	NT		1	2	1CR		9				\$1,300					
Philips	50FD9955	P 50	1365:768	16:9	600 C	1000:1	NT, A	2	2 1	2C, 3R	1-DC	•	U	30.2 x 48.9 x 4.3	101.5	\$10,999						
	42FD9954	P 42	1024:1024	16:9	600 C	1000:1	NT, A	6	1 1	2C	1-DC	15	U	25.9 x 47.8 x 3.7	79.4	\$5,499						
	32FD9954	P 32	1024:852	16:9	600 C	1000:1	NT, A	6	1 1	2C		15	U	20.2 x 38.0 x 3.5	53	\$4,299						
	15PF9936	L 15	1024:763	4:3	400 C	350:1	NT	• 4	3 2	2C		10	U	12.1 x 18.9 x 2.6	13.7	\$800						
	17PF9936	L 17	1024:768	16:9	450 C	350:1	NT	• 4	3 2	2C		6	U	11.9 x 20.4 x 2.6	14.1	\$1,199						
	20PF9945	L 20	640:480	4:3	450 C	400:1	NT			1	3C		24	S	25.3 x 16.7 x 3.3	21	\$1,599					
	23PF9945	L 23	1024:768	16:9	450 C	350:1	NT	4	3 2	2C		10	U	14.7 x 27.7 x 3.1	26.5	\$2,499						
Pioneer	PDP-5040HD*	P 50	1280:768	16:9			NT, A	• 2/2	3/2 4/1 3/1	3C, 1CR, 1R	2-F, 2-H	•	13	L	47 x 28 x 27	90	\$14,500					
	PDP-4340HD*	P 43	1024:768	16:9			NT, A	• 2/2	3/2 4/1 3/1	3C, 1CR, 1R	2-F, 2-H	•	13	L	42 x 24 x 3	69	\$10,500					
	<i>*Advanced PureCinema (3:3 pulldown), Pure Drive, 1.07 billion colors (10-bit color processing)</i>																					
Pioneer Elite	PRO-1000HDI	P 50	1280:768	16:9				• 2/2	1/1 1	1C, 2CR	1-H		13	S	49 x 30 x 4	102	\$14,500					
	PRO-800HDI	P 43	1024:768	16:9				• 2/2	1/1 1	1C, 2CR	1-H		13	S	44 x 27 x 4	85	\$10,500					
	PRO-1110HD**	P 50	1280:768	16:9			NT, A	• 2/2	3/2 4/1 3/1	3C, 1CR, 1R	2-F, 2-H	•	13	L	47 x 28 x 27	90	\$15,500					
	PRO-910HD**	P 43	1024:768	16:9			NT, A	• 2/2	3/2 4/1 3/1	3C, 1CR, 1R	2-F, 2-H	•	13	L	42 x 24 x 3	69	\$11,500					
	<i>**Advanced PureCinema (3:3 pulldown), Pure Drive, 1.07 billion colors (10-bit color processing), ISF C³ Mode, and Pure Color Filter II</i>																					

• DISPLAY TYPE: P-Plasma L-LCD • TUNER: NT-NTSC A-ATSC Q-QAM • PEAK LIGHT OUTPUT MEASUREMENT: C-cd/m² A-ANSI Lumens L-Lumens N-Nits F-fl (footlambert) O-Other
• COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI
• REMOTE: S-Standard U-Universal L-Learning

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)
Planar	PDP-42B	P 42	852:480	16:9	850 N	1000:1					1/0	1/0	1C	1-DC	•		S	25.6 x 41 x 3.2	73	\$2,999		
	PDP-50P	P 50	1280:768	16:9	900 N	900:1					1/0	1/0	1C	1-DC			S	28 x 48 x 3.9	86	\$7,500		
	PDP-60B	P 50	1280:720	16:9	600 C	600:1					1/0	1/0	1C	1-DC	•		S	35 x 58 x 3.9	147	\$13,999		
Princeton	AR4.6PDP	P 46	852:480	16:9	• 700 F	800	NT	•	1/1	1/1	1/1	1/0	1/0C, 1WC, 1CR, 1R	1-DD	• 2	2	S	28.4 x 44.84 x 3.9	82	\$4,999		
RCA	12LT500TD	L 12	800:600	4:3W					• 2/1	1/0						1	S	9.5 x 15.4 x 12.8	10	\$799		
	15LT500TD	L 15	1024:768	4:3W	450 N	500:1	NT	•	2/1	1/0						1	S	11.5 x 17.2 x 3	13	\$899		
	LCDS2022B	L 20	800:600	4:3W	500 N	500:1	NT	•	2/1	1/0	1	1	1C, 1R			6	U	17.5 x 24.6 x 3	33	\$1,499		
	LCDX2722W	L 27	1280:720	16:9	500 N	500:1	NT	•	4/1	1/0	1	1	1C, 1R	1-DD		10	U	19 x 33 x 4	46	\$2,799		
	PHD50500	P 50	1280:768	16:9	340 N	1000:1			• 4/0		1	1	1C, 1R	1-DD		5	U	48 x 28 x 17	116	\$9,499		
ReVox	E-1032	P 32	852:1024	16:9	1000 O	1000:1	NT	•			3/0	2/0	3/0C, 2WC, 2CR, 1R	1-DC	•		U	20 x 32 x 3.8	50	\$7,995		
	E-1042	P 42	1024:1024	16:9	1000 O	1000:1	NT	•			3/0	2/0	3/0C, 2WC, 2CR, 1R	1-DC	•		U	24 x 39.5 x 3.2	75	\$9,995		
	E-1050	P 50	1280:768	16:9	750 O	1000:1	NT	•			3/0	2/0	3/0C, 2WC, 2CR, 1R	1-DC	•		U	28 x 48 x 3.8	90	\$13,995		
Runco	CW-42i	P 42	853:480	16:9		1000:1			•		1	1	1C, 2CR	1-DD			S	25.6 x 41.3 x 3.9	67.5	\$7,995		
	CW-43MC	P 43	1024:768	16:9		1000:1			•		1	1	1C, 1CR	1-DD			S	26.8 x 43.4 x 4.4	80	\$9,995		
	CW-50MC	P 50	1280:768	16:9		1000:1			•		1	1	1C, 1CR	1-DD			S	30.1 x 49.3 x 4.4	96	\$13,995		
	CW-61	P 61	1366:768	16:9		1000:1			•		1	1	1C, 2CR	1-DD			L	35 x 58.3 x 4.7	135	\$24,995		
	PL-HDX43	P 43	1024:768	16:9		1000:1			•		1		1C, 1CR	1-DD			S	26.8 x 43.4 x 4.4	80	\$12,995		
	PL-HDX50	P 50	1280:768	16:9		1000:1			•		1		1C, 1CR	1-DD			S	30.1 x 49.3 x 4.4	96	\$16,995		
	PL-61cx	P 61	1366:768	16:9		1000:1			•		1	1	1C, 1CR	1-DD			S	36.1 x 59.4 x 5	140	\$29,995		
Samsung	LTN406W	L 40	1280:768	16:9	500 O	600:1	NT	•	1/0	2/0	1/0	1/0	2/0C, 2WC	1-DD	• 10					29.1 x 38.9 x 12.5	70.5	\$8,999
	LTN325W	L 32	1280:768	16:9	500 O	600:1	NT	•	1/0	2/0	1/0	1/0	2/0C, 2WC	1-DD	• 10					24.6 x 31.5 x 8.6	48.5	\$4,499
	LTN1785W	L 17	1280:768	16:9	450 O	600:1	NT	•	1/0	1/0	1/0	1/0	2/0C, 2WC		• 3					14.3 x 18.3 x 7.0	10.4	\$1,299
	LTN1765	L 17	1280:1024	4:3	350 O	400:1	NT	•	1/0	1/0	1/0	1/0	2/0C, 2WC		• 3					14.6 x 20.3 x 7.1	11	\$1,099
	LTN1565	L 15	1024:768	4:3	450 O	400:1	NT	•	1/0	1/0	1/0	1/0	2/0C, 2WC		• 3					12.8 x 18.1 x 7.2	8.6	\$799
	HPN4239	P 42	1024:768	16:9	800 O	900:1	NT	•	5/1	1/0	1/0	1/0	2/0C, 1WC	1-DD	• 10					24.8 x 40.4 x 3.1	68	\$5,999
	HPN5039	P 50	1366:768	16:9	800 O	900:1	NT	•	5/1	1/0	1/0	1/0	2/0C, 2WC, 1R	1-DD	• 10					28.5 x 47.4 x 3.1	95	\$8,999

• DISPLAY TYPE: P-Plasma L-LCD • TUNER: NT-NTSC A-ATSC Q-QAM • PEAK LIGHT OUTPUT MEASUREMENT: C-cd/m² A-ANSI Lumens L-Lumens N-Nits F-fL (footlambert) O-Other
• COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI
• REMOTE: S-Standard U-Universal L-Learning

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture) INTERNAL AUDIO	EXTERNAL AUDIO REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)		
	HPN6339	P 63	1366:768	16:9	700 0	1000:1	NT	• 5/1	1/0	1/0	2/0C, 1WC, 1R	1-DD	• 10					35.2 x 59.2 x 3.5	152	\$21,999		
	SPN4235	P 42	852:480	16:9	700 0	1200:1	NT	• 5/1	1/0	1/0	2/0C, 2WC, 1R	1-DD	• 10					24.8 x 40.4 x 3.1	68	\$4,499		
Sharp	LC-37HV4U	L 37	1366:768	16:9	430 0	800:1	NT	• 4/3 2/0 4/3 4/1	2/0WC	1-DD	• 10 10 U							23 x 37 x 3	40	\$6,500		
	LC-37HV6U	L 37	1366:768	16:9	430 0	800:1	NT	• 4/3 2/0 4/3 4/1	2/0WC	1-DD	• 10 10 U							28 x 37 x 4	44	\$6,500		
	LC-30HV4U	L 30	1280:768	16:9	430 0	500:1	NT	• 4/3 2/0 4/3 4/1	2/0WC	1-DD	• 10 10 U							20 x 30 x 3	28	\$4,500		
	LC-30HV6U	L 30	1280:768	16:9	430 0	700:1	NT	• 4/3 2/0 4/3 4/1	2/0WC	1-DD	• 10 10 U							24 x 30 x 3	34	\$4,500		
	LC-22SV2U	L 22	854:480	16:9	430 0	500:1	NT	3/1 1/0 2/1 1/0	1/0C, 0/0WC									15 x 30 x 3	20	\$2,500		
	LC-22SV6U	L 22	854:480	16:9	430 0	500:1	NT	3/1 1/0 2/1 1/0	1/0WC									18 x 23 x 3	20	\$2,500		
	LC-13E1U	L 13	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									13 x 13 x 2	8	\$550		
	LC-13E1UB	L 13	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									13 x 13 x 2	8	\$550		
	LC-13E1UW	L 13	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									13 x 13 x 2	8	\$550		
	LC-15E1U	L 15	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									14 x 15 x 2	10	\$700		
	LC-15E1UB	L 15	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									14 x 15 x 2	10	\$700		
	LC-15E1UW	L 15	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									14 x 15 x 2	10	\$700		
	LC-20E1U	L 20	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									17 x 19 x 3	16	\$1,200		
	LC-20E1UB	L 20	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									17 x 19 x 3	16	\$1,200		
	LC-20E1UW	L 20	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0C									17 x 19 x 3	16	\$1,200		
	LC-13B4US	L 13	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0WC									11 x 17 x 2	8	\$600		
	LC-15B4US	L 15	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0WC									12 x 19 x 2	10	\$800		
	LC-20B4US	L 20	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0	1/0WC									15 x 25 x 3	16	\$1,300		
	LC-13S2US	L 13	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 2/0	1/0WC									12 x 13 x 2	7	\$600		
	LC-15S2US	L 15	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 2/0	1/0WC									13 x 14 x 2	9	\$800		
	LC-20S2US	L 20	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 2/0	1/0WC									16 x 19 x 3	13	\$1,300		
	LC-15L1US	L 15	640:480	4:3	430 0	500:1	NT	2/1 1/0 2/1 1/0										14 x 19 x 2	11	\$1,800		
Toshiba	20VL43U	L 20	640:480	4:3	500 0	500:1	NT	• 2/1 1 2 2 1C										U	19 x 21 x 4	14	\$1,600	
	14VL43U	L 14	640:480	4:3	500 0	500:1	NT	• 2/1 1 2 2 1C											U	16 x 14 x 4	9	\$1,000
	26HL83	L 26	1280:768	16:9	450 0	500:1	NT	• 6/2 2 3 3							1-DC				U	19 x 32 x 5	46	\$3,300
	32HL83	L 32	1280:768	16:9	450 0	500:1	NT	• 6/2 2 3 3							1-DC				U	24 x 42 x 6	62	\$4,500
	42HP83	P 42	1024:768	16:9	340 0	1000:1	NT	• 6/2 2 3 3							1-DC				U	28 x 52 x 5	98	\$7,500

• DISPLAY TYPE: P-Plasma L-LCD • TUNER: NT-NTSC A-ATSC Q-QAM • PEAK LIGHT OUTPUT MEASUREMENT: C-cd/m² A-ANSI Lumens L-Lumens N-Nits F-fl (footlambert) O-Other
• COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI
• REMOTE: S-Standard U-Universal L-Learning

BRAND	MODEL	DISPLAY TYPE	SCREEN SIZE (in.)	NATIVE RESOLUTION (pixels)	ASPECT RATIO	AUTO 16:9	PEAK LIGHT OUTPUT	CONTRAST RATIO	TUNER	3:2 PULLDOWN	AUDIO I/O	ANTENNA I/O	COMPOSITE VIDEO I/O	S-VIDEO I/O	COMPONENT/RGBHV I/O	DIGITAL VIDEO I/O	PIP (Picture-in-Picture)	INTERNAL AUDIO	EXTERNAL AUDIO	REMOTE	DIMENSIONS (H x W x D in.)	WEIGHT (lb.)
V Inc.	P4	P 46	852:480	16:9	•	700 O	800:1	NT	•	1/1	1/1	1/1	1/0	1/0C, 1/0WC	1-DD	•	2	2	S	28.4 x 45 x 4	82	\$3,799
	P2	P 42	852:480	16:9	•			NT	•	3/1	1/1	1/1	1/0	1/0C, 1/0WC, 1CR, 1R	1-DD	•	2		S	25.5 x 41 x 3.5	75.9	\$2,999
	P1	P 32	1024:852	16:9	•	650 O	450:1	NT	•	1/1	1/1	1/1	1/0	1/0C, 1/0WC		•	10	10	S	19 x 32.2 x 3.2	49.6	\$2,999
Vidikron	PlasmaView VP-42	P 42	852:480	16:9		1000 O	1200:1		•			1	1	1C, 1CR, 1R	1-DD				S	25.5 x 41.3 x 3.2	72.8	\$5,995
	PlasmaView VP-50	P 50	1366:768	16:9		1000 O	1000:1		•			1	1	1C, 1CR, 1R	1-DD				S	29.1 x 48.4 x 3.9	98	\$11,995
	PlasmaView VP-60	P 60	1366:768	16:9		1000 O	1000:1		•			1	1	1C, 1CR, 1R	1-DD				S	35 x 57.5 x 3.9	147	\$19,995
ViewSonic	N1700w	L 17	1280:768	16:9		400 L	400:1	NT	•	2	1	1		1C, 1WC, 1R	1-DC	10			S	16 x 17 x 6.8	12.3	\$899
	N1800TV	L 18	1024:768	4:3		400 L	350:1	NT	•	2	1	1	1	1C, 1WC, 1R		3			S	16 x 21.3 x 9.4	14	\$899
	N1500TV	L 15	1024:768	4:3		500 L	400:1	NT	•	2	1	1	1	1C, 1WC, 1R		3			S	14.4 x 17.6 x 8	9.7	\$599
Zenith	P60W38	P 60	1280:720	16:9		1000 A	1000:1		•	2/2	1/0	1/0	1WC		1-DD	•			S	34.8 x 57.3 x 4	154	\$14,999
	P60W38H	P 60	1366:768	16:9		1000 A	1000:1		•	2/2	1/0	1/0	1WC		1-DD	•			S	34.8 x 57.3 x 4	154	\$14,999
	P50W38	P 50	1366:768	16:9		1000 A	1000:1		•	1/2	1/0	1/0	1WC		1-DD	•			S	30 x 48.2 x 4	98	\$8,999
	P50W38H	P 50	1366:768	16:9		1000 A	1000:1		•	1/2	1/0	1/0	1WC		1-DD	•			S	30 x 48.2 x 4	98	\$8,999
	P42W34	P 42	852:480	16:9		1000 A	1200:1	NT	•	1/2	1	1/0	1/0	1WC	1-DD	•			S	24.5 x 40.7 x 3	75	\$3,999
	P42W34H	P 42	852:480	16:9		1000 A	1200:1	NT	•	1/2	1	1/0	1/0	1WC	1-DD	•			S	24.5 x 40.7 x 3	75	\$3,999
	P40V24	P 40	640:480	4:3		450 A	700:1		•	1/2	1/0	1/0	1WC						S	28 x 36.6 x 3	73	\$4,999
	L30W36	L 30	1280:768	16:9		450 A	400:1		•	1/1	1/0	1/0	1/0WC		1-DD	•	10		S	19.7 x 29.9 x 4	49	\$3,699
	L23W36	L 23	1280:768	16:9		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		5			S	13.8 x 18.3 x 3	14	\$1,999
	L20V36	L 20	640:480	4:3		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		5			S	16.2 x 22.8 x 3	21	\$1,299
	L17WDVD	L 17	1280:768	16:9		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		5			S	16.2 x 22.8 x 3	21	\$1,499
	L17W36	L 17	1280:768	16:9		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		5			S	13.8 x 18.3 x 3	14	\$1,299
	L15V36	L 15	1024:768	4:3		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		3			S	12.7 x 18.3 x 3	13	\$699
	L13V36	L 13	640:480	4:3		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		3			S	12.7 x 18.3 x 3	13	\$549
	L15V26C	L 15	1024:768	4:3		430 A	350:1	NT	•	1/0	1	1/0	1/0	1/0WC		1			S	17.5 x 23.6 x 3.3	25	\$499
	L20V26C	L 20	640:480	4:3		450 A	400:1	NT	•	2/0	1	2/0	1/0	1/0WC		5			S	16.2 x 22.8 x 3	21	\$999

• DISPLAY TYPE: P-Plasma L-LCD • TUNER: NT-NTSC A-ATSC Q-QAM • PEAK LIGHT OUTPUT MEASUREMENT: C-cd/m² A-ANSI Lumens L-Lumens N-Nits F-fL (footlambert) O-Other
• COMPONENT/RGBHV I/O: C-Component WC-Wideband Component CR-Component or RGB R-RGBHV • DIGITAL VIDEO I/O: F-FireWire DD-DVI with HDCP DC-DVI without HDCP H-HDMI
• REMOTE: S-Standard U-Universal L-Learning